

Image

Lamp

Number of Lamps	1
Lamp Power	245 W

Interfaces/Ports

S/PDIF	Yes
Number of USB Ports	1
USB	Yes
USB Standard	USB 2.0
Number of VGA Inputs	1
VGA In	Yes
Number Of Audio Inputs	1
Number Of Audio Outputs	1
Audio Line In	Yes
Audio Line Out	Yes

Technical Information

Projection System	DLP
Projection Method	Front
Projection Method	Rear
Projection Method	Ceiling
Projection Method	Rear Ceiling
Video Compatibility	NTSC
Video Compatibility	PAL
Video Compatibility	SECAM
Video Compatibility	HDTV
Video Compatibility	EDTV
Video Compatibility	SDTV
Computer Compatibility	Windows PC
Computer Compatibility	Mac PC
Computer Compatibility	Google Chrome PC

Audio

Number of Speakers	1
Speaker Output Power	10 W
Speaker Output Mode	Mono

Network & Communication

Wireless Capability	Miracast Wi-Fi
---------------------	----------------

Power Description

Input Voltage	120 V AC
---------------	----------

Input Voltage	230 V AC
---------------	----------

Operating Power Consumption	310 W
-----------------------------	-------

Standby Power Consumption	500 mW
---------------------------	--------

Physical Characteristics

Installation	Ceiling Mount
--------------	---------------

Weight (Approximate)	4.50 kg
----------------------	---------

Form Factor	Ceiling Mountable
-------------	-------------------

Height	4.4 mm
--------	--------

Width	12.3 mm
-------	---------

Depth	9.4 mm
-------	--------

Miscellaneous

Package Contents	GM712 DLP Projector AC Power Cord Battery for remote control HDMI Cable Quick Start Guide Remote Control Security Card User's Guide (CD-ROM) Carrying Case
------------------	--

Optional Accessories	Carrying Case (MC.JPV11.005) 3D Glasses (MC.JFZ11.00B) Lamp (MC.JTB11.006) Ceiling Mount (MC.JLC11.003)
----------------------	--

